


ROOM DIVIDER/ CUBICLE TRACK SYSTEMS



GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

Fitting

- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.



Child Safety

- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.

APPLICATION CHART

<u>PAGE</u>	<u>SYSTEM</u>	<u>OPERATION</u>	<u>DIMENSION</u>	<u>DESIGN</u>	<u>WAVE</u>
5	SG 1003		S		
11	SG 6100		S - L		
23	SG 6103		S - L		

SG 1003



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** suspended, wall, ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable
- Suspended

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1003p

Profile

Radius:
15 cm, 20 cm, >25 cm

B. HOW TO MEASURE




A: System width
B: System height
C: Distance between floor and fabric
D: Distance between ceiling and system

FITTING


A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points




Dust cover




B. CEILING FITTING


Hanger SG 6190 / SG 6196




Or variant with SG 6196 double hanger.



SG 3042
Wall bracket





SG 6190
Hanger





SG 6196
Double hanger

Mini hanger SG 6175



SG 6175
Mini hanger


Bracket SG 6124



SG 6124
Bracket


C. WALL FITTING

Smart Fix




Smart Fix with slot SG 11206 - SG 11208:

Screw SG 10492 (M4x8) needed.




Square Smart Fix with slot SG 11216 - SG 11218:

Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:

Screw SG 11131 (M4x6) needed.



SG 6117

Slot nut




SG 10492

Pan head screw M4x8




SG 11131

Pan head screw with flange
M4x6




SG 11206

Smart Fix with slot 60 mm




SG 11207

Smart Fix with slot 80 mm




SG 11208

Smart Fix with slot 100 mm




SG 11216

Square Smart Fix with slot 60
mm




SG 11217

Square Smart Fix with slot 80
mm




SG 11218

Square Smart Fix with slot
100 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm





SG 11156








Universal Smart Fix 200 mm














PARTS


A. STANDARD PARTS

	SG 1003p Profile
	SG 3014 End cover
	SG 3070 End stop
	SG 3085 Spring stop
	SG 3533 Glider
	SG 3599 Hook

B. OPTIONAL PARTS


	SG 3012 Hook
	SG 3042 Wall bracket
	SG 3089 Glider with hook
	SG 3146 End cover
	SG 3511 Glider
	SG 3534 Glider 3533 on strip
	SG 3535 Glider
	SG 3537 Glider
	SG 3547 Glider
	SG 3548 Glider
	SG 3549 Click glider with hook
	SG 3581 Hook
	SG 3582 Hook
	SG 3598 Eyelet

	SG 6110 Dust cover
	SG 6117 Slot nut
	SG 6124 Bracket
	SG 6125 Corner connection piece
	SG 6146 Hook
	SG 6173 Connection bridge
	SG 6175 Mini hanger
	SG 6190 Hanger
	SG 6196 Double hanger
	SG 10430 Draw rod 50 cm
	SG 10431 Draw rod 75 cm
	SG 10432 Draw rod 100 cm
	SG 10433 Draw rod 125 cm
	SG 10434 Draw rod 150 cm




SG 10492

Pan head screw M4x8




SG 11131

Pan head screw with flange M4x6




SG 11154

Universal Smart Fix 120 mm




SG 11155

Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm




SG 11206

Smart Fix with slot 60 mm




SG 11207

Smart Fix with slot 80 mm




SG 11208

Smart Fix with slot 100 mm




SG 11216

Square Smart Fix with slot 60 mm




SG 11217

Square Smart Fix with slot 80 mm



SG 11218



Square Smart Fix with slot 100 mm



SG 11335

End stop

SG 6100



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - L
- **Fitting:** suspended, ceiling, wall
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Universal room divider
- 2-component (2C) glider technology
- Wave (2C)
- Suspended
- Versatile layouts
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 6101

Profile

 Radius:
20 cm, >25 cm

B. HOW TO MEASURE




A: System width
B: System height
C: Distance between floor and fabric
D: Distance between ceiling and system

FITTING


A. FITTING INFORMATION

Fixing points

For detailed fitting information, visit the [Silent Gliss website](#).




Dust cover




B. CEILING FITTING


Hanger SG 6190 / SG 6196



Or variant with SG 6196 double hanger.





SG 6190
Hanger





SG 6196
Double hanger

Mini hanger SG 6175



SG 6175
Mini hanger


Bracket SG 6124



SG 6124


Bracket

V-hanger




SG 6501:

V-hangers provide additional lateral stability.




SG 6501

V-Hanger




SG 6530:
V-hangers provide additional lateral stability.




SG 6530
V-Hanger

C. WALL FITTING


Smart Fix



Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.




Square Smart Fix with slot SG 11216 - SG 11218:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:
Screw SG 11131 (M4x6) needed.

Smart Fix	X mm
SG 11206 / SG 11216	33-51
SG 11207 / SG 11217	53-71
SG 11208 / SG 11218	73-91
SG 11154	102-130
SG 11155	132-160
SG 11156	182-210




SG 6117
Slot nut




SG 10492
Pan head screw M4x8




SG 11131
Pan head screw with flange
M4x6




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm




SG 11216
Square Smart Fix with slot 60
mm




SG 11217
Square Smart Fix with slot 80
mm




SG 11218
Square Smart Fix with slot
100 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm





SG 11156
Universal Smart Fix 200 mm

Wall support SG 6610 & SG 6614




SG 6610
Wall support




SG 6614
Wall bracket, metal

D. PROFILE JUNCTIONS

Connection bridge SG 6123








SG 6123

Connection plate

Connection bridge SG 6512



Note: be sure to attach a sketch!




SG 6512


Connection bridge

SYSTEM OPTIONS


A. LAYOUT OPTIONS



A: Hanger rod
B: Wall support




A: Hanger rod
B: Wall support




A: Hanger rod
B: Wall support
C: V-hanger

B. WAVE




SG 11295




SG 11302

Standard components:
– SG 11295 End stop
– SG 11302 Wave 2C glider cord 80 mm



Optional components (min. radius >25 cm):


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)





2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80













*Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!


PARTS

A. STANDARD PARTS


	SG 3599 Hook
	SG 6065 End stop
	SG 6086 Spring stop
	SG 6101 Profile
	SG 6611 End cover
	SG 11300 2C glider

B. OPTIONAL PARTS

	SG 2255 Brake		SG 6112 Connection bridge
	SG 2256 Brake		SG 6117 Slot nut
	SG 3012 Hook		SG 6123 Connection plate
	SG 3581 Hook		SG 6124 Bracket
	SG 3582 Hook		SG 6143 Glider on strip
	SG 3598 Eyelet		SG 6146 Hook
	SG 6004 Eyelet		SG 6175 Mini hanger
	SG 6005 Hook		SG 6190 Hanger
	SG 6053 Spring stop		SG 6196 Double hanger
	SG 6057 Glider		SG 6240 Roller
	SG 6082 Glider		SG 6283 Roller
	SG 6094 Roller		SG 6349 Wave curtain tape
	SG 6098 Roller		SG 6363 Wave top hemming tape
	SG 6110 Dust cover		SG 6364 Wave extension

**SG 6365**

Wave hanger

**SG 6366**

Wave carrier for draw rod

**SG 6501**


V-Hanger

**SG 6512**


Connection bridge

**SG 6530**


V-Hanger

**SG 6610**


Wall support

**SG 6614**

Wall bracket, metal

**SG 10075**

Lead weight 50 g/m

**SG 10076**


Fabric weight

**SG 10430**


Draw rod 50 cm

**SG 10431**


Draw rod 75 cm

**SG 10432**

Draw rod 100 cm

**SG 10433**

Draw rod 125 cm

**SG 10434**


Draw rod 150 cm

**SG 10492**


Pan head screw M4x8

**SG 11131**

Pan head screw with flange M4x6

**SG 11154**


Universal Smart Fix 120 mm

**SG 11155**


Universal Smart Fix 150 mm

**SG 11156**


Universal Smart Fix 200 mm

**SG 11206**


Smart Fix with slot 60 mm

**SG 11207**


Smart Fix with slot 80 mm

**SG 11208**


Smart Fix with slot 100 mm

**SG 11216**

Square Smart Fix with slot 60 mm

**SG 11217**

Square Smart Fix with slot 80 mm

**SG 11218**


Square Smart Fix with slot 100 mm

**SG 11295**


End stop

**SG 11301**

2C glider on strip

**SG 11302**

Wave 2C glider cord 80 mm



**SG 11303**

Wave 2C glider cord 60 mm

**SG 11305**

2C glider for direct sewing

SG 6103



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - L
- **Fitting:** suspended, ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Universal room divider
- 2-component (2C) glider technology
- Wave (2C)
- Suspended
- Versatile layouts
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 6103p

Profile

Radius:
✓ >25 cm

B. HOW TO MEASURE




A: System width
B: System height
C: Distance between floor and fabric
D: Distance between ceiling and system

FITTING


A. FITTING INFORMATION

Fixing points

For detailed fitting information, visit the Silent Gliss website.




Dust Cover




B. CEILING FITTING


Hanger SG 6190 / SG 6196



Or variant with SG 6196 double hanger.





SG 6190
Hanger





SG 6196
Double hanger

Mini hanger SG 6175




SG 6175
Mini hanger

Bracket SG 6124




SG 6124
Bracket

V-hanger




SG 6501:

V-hangers provide additional lateral stability.




SG 6501

V-Hanger



SG 6530:

V-hangers provide additional lateral stability.




SG 6530


V-Hanger

C. WALL FITTING


Smart Fix



Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.




Square Smart Fix with slot SG 11216 - SG 11218:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:
Screw SG 11131 (M4x6) needed.

Smart Fix	X mm
SG 11206 / SG 11216	33-51
SG 11207 / SG 11217	53-71
SG 11208 / SG 11218	73-91
SG 11154	102-130
SG 11155	132-160
SG 11156	182-210




SG 6117
Slot nut




SG 10492
Pan head screw M4x8




SG 11131
Pan head screw with flange
M4x6




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm




SG 11216
Square Smart Fix with slot 60
mm




SG 11217
Square Smart Fix with slot 80
mm




SG 11218
Square Smart Fix with slot
100 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm


D. WALL SUPPORT

Bracket SG 6620




SG 6123

Connection plate



SG 6620

Wall bracket





SG 6631

Connection piece


E. PROFILE

JUNCTIONS

Connection bridge SG 6521




Note: be sure to attach a sketch!




SG 6521

Connection bridge

Connection set SG 6635






SG 6635


Connection bridge set

SYSTEM OPTIONS


A. LAYOUT OPTIONS



A: Hanger rod
B: Wall support





A: Hanger rod
B: Wall support



A: Hanger rod
B: Wall support
C: V-hanger

B. WAVE






SG 11295

SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm




SG 2255

SG 2256

SG 6364

SG 6365




SG 6366

SG 10430-34

SG 11303

Optional components:

- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 3582

SG 6349

SG 6363


SG 10075

SG 10076

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)






2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80




*Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!







PARTS

























A. STANDARD PARTS

	SG 3599 Hook
	SG 6065 End stop
	SG 6086 Spring stop
	SG 6103p Profile
	SG 6630 End cover
	SG 11300 2C glider

B. OPTIONAL PARTS

	SG 2255 Brake
	SG 2256 Brake
	SG 3012 Hook
	SG 3581 Hook
	SG 3582 Hook
	SG 3598 Eyelet
	SG 6004 Eyelet
	SG 6005 Hook
	SG 6053 Spring stop
	SG 6057 Glider
	SG 6082 Glider
	SG 6094 Roller
	SG 6098 Roller
	SG 6110 Dust cover

	SG 6117 Slot nut
	SG 6123 Connection plate
	SG 6124 Bracket
	SG 6125 Corner connection piece
	SG 6143 Glider on strip
	SG 6146 Hook
	SG 6175 Mini hanger
	SG 6190 Hanger
	SG 6196 Double hanger
	SG 6240 Roller
	SG 6283 Roller
	SG 6349 Wave curtain tape
	SG 6363 Wave top hemming tape
	SG 6364 Wave extension

	SG 6365 Wave hanger		SG 10434 Draw rod 150 cm		SG 11302 Wave 2C glider cord 80 mm
	SG 6366 Wave carrier for draw rod		SG 10492 Pan head screw M4x8		SG 11303 Wave 2C glider cord 60 mm
	SG 6501 V-Hanger		SG 11131 Pan head screw with flange M4x6		SG 11305 2C glider for direct sewing
	SG 6521 Connection bridge		SG 11154 Universal Smart Fix 120 mm		
	SG 6530 V-Hanger		SG 11155 Universal Smart Fix 150 mm		
	SG 6620 Wall bracket		SG 11156 Universal Smart Fix 200 mm		
	SG 6631 Connection piece		SG 11206 Smart Fix with slot 60 mm		
	SG 6635 Connection bridge set		SG 11207 Smart Fix with slot 80 mm		
	SG 10075 Lead weight 50 g/m		SG 11208 Smart Fix with slot 100 mm		
	SG 10076 Fabric weight		SG 11216 Square Smart Fix with slot 60 mm		
	SG 10430 Draw rod 50 cm		SG 11217 Square Smart Fix with slot 80 mm		
	SG 10431 Draw rod 75 cm		SG 11218 Square Smart Fix with slot 100 mm		
	SG 10432 Draw rod 100 cm		SG 11295 End stop		
	SG 10433 Draw rod 125 cm		SG 11301 2C glider on strip		

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the world's smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Silent Gliss GmbH

Belgradplatz 5 / Office 3
1100 Vienna
Austria

T +43 (0) 1 615 02 73

F +43 (0) 1 615 02 73 88

info@silentgliss.at

silentgliss.at

silentgliss-cee.com

silentgliss-russia.com